of omega-3 highly unsaturated fatty acid than [the] an average for naturally-occurring organisms of [the] a same genus.

G. 37. (Amended) The milk product of Claim 36, wherein said feed material comprises microorganisms of the genus Thraustochytrium, [and/or] Schizochytrium or a mixture thereof in whole cell form.

Amended) The milk product of Claim 36, wherein said Thraustochytriales is obtained by a direct fermentation of grain, corn syrup or agricultural/fermentation byproducts by Thraustochytrium, [and/or] Schizochytrium or a mixture thereof.

Afe. (Amended) The milk product of Claim 45, wherein said feed material comprises microorganisms of the genus Thraustochytrium, [and/or] Schizochytrium or a mixture thereof in whole cell form.

(Amended) The milk product of Claim 45, wherein said Thraustochytriales is obtained by a direct fermentation of grain, corn syrup or agricultural/fermentation byproducts by Thraustochytrium, [and/or] Schizochytrium or a mixture thereof.

(Amended) A milk product derived from an animal raised by feeding said animal a feed material comprising an element selected from the group consisting Thraustochytrium, Schizochytrium, omega-3 highly unsaturated fatty acid extracted from said Schizochytrium, omega-3 highly unsaturated acid extracted from fatty [and/or] said Thraustochytrium, and mixtures thereof in an amount effective

11

to increase the content of omega-3 highly unsaturated fatty acid in said milk product, wherein said milk product is selected from the group consisting of milk, cheese and butter, and wherein said animal is selected from the group consisting of cows, sheep and goats.

Please add new Claims 52-68 as/follows:

- 52. (New) A method for producing an omega-3 highly unsaturated fatty acid containing milk product comprising the steps of:
- (a) feeding an animal a feed material comprising cultured microbial organisms containing omega-3 highly unsaturated fatty acid in an amount effective to increase the content of omega-3 highly unsaturated fatty acid in the milk of said animal; and
  - (b) obtaining the milk product from said animal.
- 53. (New) The method of Claim 52, wherein said cultured microbial organisms have a higher average amount of omega-3 highly unsaturated fatty acid than an average for naturally-occurring organisms of a same genus.
- 54. (New) The method of Claim 52, wherein said milk product is selected from the group consisting of milk, cheese and butter.
- 55. (New) The method of Claim 52, wherein said animal is selected from the group consisting of cows, sheep and goats.

- 56. (New) The method of Claim 52, wherein said feed material comprises an element selected from the group consisting of Thraustochytriales, omega-3 highly unsaturated fatty acid extracted from Thraustochytriales, and mixtures thereof.
- 57. (New) The method of Claim 56, wherein said feed material comprises microorganisms of the genus Thraustochytrium, Schizochytrium or a mixture thereof in whole cell form.
- 58. (New) The method of Claim 56 further comprising the step of obtaining said Thraustochytriales by a direct fermentation of grain, corn syrup or agricultural/fermentation byproducts by Thraustochytrium, Schizochytrium or a mixture thereof.
- 59. (New) The method of Claim 56, wherein said feed material contains less than about 40% water.
- 60. (New) The method of Claim 56, wherein said feed material is prepared by extrusion.
- 61. (New) The method of Claim 52, wherein said feed material contains omega-6 highly unsaturated fatty acid in an amount effective to increase the content of omega-6 highly unsaturated fatty acid in said milk product.
- 62. (New) The method of Claim 52, wherein said milk product is consumable by humans.
- 63. (New) A method for producing a milk product comprising the steps of:

- (a) raising an animal by feeding said animal a feed material comprising an element selected from the group consisting of Thraustochytriales, omega-3 highly unsaturated fatty acid extracted from Thraustochytriales, and mixtures thereof in an amount effective to increase the content of omega-3 highly unsaturated fatty acid in the milk product; and
  - (b) obtaining the milk product from said animal.
- 64. (New) The method of Claim 63, wherein said feed material comprises microorganisms of the genus Thraustochytrium, Schizochytrium or a mixture thereof in whole cell form.
- 65. (New) The method of Claim 63, wherein said Thraustochytriales is obtained by a direct fermentation of grain, corn syrup or agricultural/fermentation byproducts by Thraustochytrium, Schizochytrium or a mixture thereof.
- 66. (New) The method of Claim 63, wherein said milk product is selected from the group consisting of milk, cheese and butter.
- 67. (New) The method of Claim 63, wherein said animal is selected from the group consisting of cows, sheep and goats.
- 68. (New) A method of producing a milk product comprising the steps of raising an animal by feeding the animal a feed material comprising an element selected from the group consisting of Thraustochytrium, Schizochytrium, omega-3 highly unsaturated fatty acid extracted from said Schizochytrium and/or said Thraustochytrium, and mixtures